

Message

---

**From:** Ruelas, Cynthia [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=A7E251B9DBB24D308D1FA3B219F6AA52-CRUELAS]  
**Sent:** 4/30/2021 1:50:15 AM  
**To:** POALINELLI, EDWIN (CHIP) [poalinelli.edwin@epa.gov]  
**Subject:** SWRAU Audit  
**Attachments:** From HQ - FY21 SWRAU Audit\_Region 9.xlsx

Hi Chip – attached is the SWRAU audit spreadsheet with high-level issues in achieving SWRAU identified. There are some sites that have technically achieved Construction Complete long ago, and the remedy has since been revisited as a result of FYR evaluations to ensure protectiveness. I think this is one of the biggest obstacle in achieving SWRAU. This has been a very interesting and eye-opening exercise. Let me know if you would like to discuss any of these sites or overall results.

Thanks,  
Cynthia



Cynthia V. Ruelas

Remedial Project Manager • US Environmental Protection Agency, Southwest Region  
Superfund & Emergency Management Division • California Sites Office (SFD-7-1)  
75 Hawthorne Street • San Francisco, CA • 94105 • 415.972.3329 • [ruelas.cynthia@epa.gov](mailto:ruelas.cynthia@epa.gov)

“The ultimate test of man's conscience may be his willingness to sacrifice something today for future generations whose words of thanks will not be heard.” – Gaylord Nelson